counterline
setting the standard

THE QUEEN'S AWARDS
FOR ENTERPRISE
2018

Veitingavorur.com

Íslensk Markaðsmiðlun ehf

imobile
part of the idesign range

imobile

counterline
setting the standard

The perfect solution for:

Primary Schools • Secondary Schools • Colleges • Universities • Hospitals • Contract Caterers

Counterline are proud to announce our new addition to the idesign range... imobile.

The imobile range of base units and countertop food service displays brings together Counterline's many years of experience and covers every conceivable market need.

Whether you're looking for an attractive and functional display or a high quality unit with exclusive styling and the most advanced technical features, imobile has the solution.

imobile offers a unique selection of three distinctively styled drop-in display units, integrale, manhattan and da vinci. Drop-in displays are available as traditional bain maries, ceramic glass hotplates, wells, decks, deli's and multi-decks.

An extensive range of additions can be added to the basic units allowing you to customise your installation. These include carving pads, plate dispensers, mobile hot cupboards and more.

Most units are available in a variety of sizes and configurations, allowing you to find the right product to suit your needs.

imobile offers stylish and robust mobile displays, which as the name implies are designed to give you complete freedom and control. A mix of ambient, heated and chilled units are available. These can be combined together to form a continuous and elegant display or you can create your own unique run layout.

Where space is a premium our imobile food service displays gives you full mobility and the flexibility to change your run layouts whenever needed.

Counterline's exclusive styling and advanced technical features come as standard.

contents

introduction 02

Introduction to the new imobile range

integrale drop-in 03

A range of heated, chilled and ambient drop-in display units

manhattan drop-in 04

A range of heated, chilled and ambient drop-in display units

da vinci drop-in 05

A range of heated, chilled and ambient drop-in display units

imobile hot cupboard 06-07

A new unit added to our imobile range by popular demand

imobile counter run layouts 08-09

Images illustrating unique custom imobile layouts

imobile plate & soup dispensers 10

A range of plate & soup dispensers

imobile fascia panel finishes 11

A wide choice of fascia panel finishes

imobile base unit options 12

Various configurations of base units to suit your needs

additions 13

Accessories to compliment and enhance the imobile design range

technical specifications 14

Detailed specifications of the imobile range

integrale drop-in

'integrale is sure to catch the eye of today's interior designer, as the specification ensures that the range offers exceptional value for money'.

Image: integrale heated ceramic glass hotplate

The integrale displays feature satin and brightly polished stainless steel with multi-layered chromium plating and curved toughened glass.
The vertical gantry arms give the range a simplistic but effective visual appearance.

If you're looking for a reliable and stylish display, which offers excellent value for money then integrale is the perfect solution.

Polished stainless steel finish supplied as standard.
Fascia finish illustrated supplied as optional extra.

manhattan drop-in

'The manhattan range of drop-in displays live up to their name.
With their uncompromisingly art deco inspired rectilinear design elements, the stunning displays mirror the famous manhattan skyline'.

Image: manhattan heated ceramic hotplate

The combination of satin and brightly polished stainless steel with the finely polished edges of bonded 10mm flat glass give the unit a timeless elegance based on simplicity and purity of design.

The manhattan range appeals to customers and clients by offering a more contemporary and minimalist appearance.

Polished stainless steel finish supplied as standard.
Fascia finish illustrated supplied as optional extra.

da vinci drop-in

'Beautifully sculpted and superbly engineered, the da vinci range is a work of art in itself'.

Image: da vinci curved glass and gantry arms

The range combines satin and brightly polished stainless steel, multi layer chromium plating, finely polished curved glass edges and subtly textured epoxy paint. The glass curvature is also reflected in da vinci's gently arcing supports and elliptical lighting duct.

The result is a drop-in display range that gives you the best of both worlds - stylish good looks together with an unbeatable performance.

Polished stainless steel finish supplied as standard.
Fascia finish illustrated supplied as optional extra.

imobile hot cupboard

An important new addition to the imobile range due to popular demand. A versatile and flexible way to provide hot food and drink where and whenever needed.

Polished stainless steel finish supplied as standard.
Fascia finish illustrated supplied as optional extra.

imobile hot cupboard

Counterline's imobile hot cupboard will consistently regulate at your desired temperature whilst maintaining the freshness of the food held within them. Our heat source and distribution method ensures the heat is delivered evenly throughout the holding area at all times.

The high quality stainless steel material and construction methods used by Counterline ensure stability and strength.

Hot cupboards are now available with plain worktops that are sufficiently strengthened to accommodate all manner of portable catering equipment and are digitally controlled as standard.

angled shelf plates

Angled shelf plates are a quick, easy and convenient way of combining our imobile units. Maintains your worktop flow whilst allowing you to define your own counter run layout.



DC - AP135

Angled shelf plates are available in:
90, 135, 180, 225, & 270 degrees.

Angled cupboards are available in:
90, 135, 225, & 270 degrees.

(See page 14 for further details)



Create your

unique counter run layouts

angled cupboards

Angled shelf cupboards are another quick, easy and convenient way of combining our imobile units.
But they can also provide the added advantage of being fully functional storage units.
An aesthetically pleasing solution which will compliment your choice of fascia finish.
Ensures your worktop flow looks consistent throughout whilst allowing you to define your own counter run layout.

DC - A135

DC - A225



DC - A90

DC - A270

own unique counter run layout.

'Now you have complete freedom and control'.

plate & soup dispensers

ambient & heated duo plate dispensers

Polished stainless steel finish supplied as standard. All fascia finishes illustrated supplied as optional extra.

ambient & heated single plate dispensers

Polished stainless steel finish supplied as standard. All fascia finishes illustrated supplied as optional extra.

soup dispensers

Polished stainless steel finish supplied as standard. All fascia finishes illustrated supplied as optional extra.

fascia panel finishes

- Stainless Steel finish as standard.
- Laminate or colour fascia panel available as optional extra.
- Full colour graphic fascia panel available as optional extra.

Signal Red

Canary Yellow

Sea Green

Royal Blue

Black

White

Magenta

Mid Blue

Ash Wood

Beech Wood

Rift Oak Wood

Cherry Wood

Many other finishes available.
Please enquire for further details.

Use your own brand or logo as a full custom graphic display!

ambient • heated • base unit options

- Accepts all integrale, da vinci and manhattan standard width displays.
- Hot cupboard maintains pre-heated cooked food at a regulated temperature.
- All units mounted on four 100mm diameter castors, two lockable. (See page 15 for further options).

ambient void: heated drop-in

Stock Code	Capacity gn	Overall Size mm	Weight kg	Wattage kw	List Price £
Standard Base Unit					
DC - H2	2/1	825(w) x 660(d) x 900(h)	43	N/A	639
DC - H3	3/1	1175(w) x 660(d) x 900(h)	53	N/A	660
DC - H4	4/1	1525(w) x 660(d) x 900(h)	66	N/A	748
DC - H5	5/1	1875(w) x 660(d) x 900(h)	75	N/A	820
Wide Base Unit					
DC - HW2	2/1	825(w) x 810(d) x 900(h)	53	N/A	639
DC - HW3	3/1	1175(w) x 810(d) x 900(h)	65	N/A	660
DC - HW4	4/1	1525(w) x 810(d) x 900(h)	81	N/A	748
DC - HW5	5/1	1875(w) x 810(d) x 900(h)	92	N/A	820

ambient void & shelf: heated drop-in

Stock Code	Capacity gn	Overall Size mm	Weight kg	Wattage kw	List Price £
Standard Base Unit					
DC - HS2	2/1	825(w) x 660(d) x 900(h)	47	N/A	677
DC - HS3	3/1	1175(w) x 660(d) x 900(h)	58	N/A	756
DC - HS4	4/1	1525(w) x 660(d) x 900(h)	72	N/A	924
DC - HS5	5/1	1875(w) x 660(d) x 900(h)	82	N/A	1095
Wide Base Unit					
DC - HSW2	2/1	825(w) x 810(d) x 900(h)	58	N/A	677
DC - HSW3	3/1	1175(w) x 810(d) x 900(h)	71	N/A	756
DC - HSW4	4/1	1525(w) x 810(d) x 900(h)	89	N/A	924
DC - HSW5	5/1	1875(w) x 810(d) x 900(h)	101	N/A	1095

ambient cupboard: heated drop-in

Stock Code	Capacity gn	Overall Size mm	Weight kg	Wattage kw	List Price £
Standard Base Unit					
DC - HD4	4/1	1525(w) x 660(d) x 900(h)	76	N/A	1085
DC - HD5	5/1	1875(w) x 660(d) x 900(h)	86	N/A	1194
Wide Base Unit					
DC - HDW4	4/1	1525(w) x 810(d) x 900(h)	94	N/A	1085
DC - HDW5	5/1	1875(w) x 810(d) x 900(h)	106	N/A	1194

hot cupboard: heated drop-in

Stock Code	Capacity gn	Overall Size mm	Weight kg	Wattage kw	List Price £
Standard Base Unit					
DC - HC3	3/1	1175(w) x 660(d) x 900(h)	65	0.5	1446
DC - HC4	4/1	1525(w) x 660(d) x 900(h)	84	0.75	1668
DC - HC5	5/1	1875(w) x 660(d) x 900(h)	95	1.0	2052
Wide Base Unit					
DC - HCW3	3/1	1175(w) x 810(d) x 900(h)	80	0.5	1446
DC - HCW4	4/1	1525(w) x 810(d) x 900(h)	103	0.75	1668
DC - HCW5	5/1	1875(w) x 810(d) x 900(h)	117	1.0	2052

* All combined 3/1, 4/1, 5/1 Ceran Hot plates & 3/1, 4/1 Bain Marie complete with Heated Cupboards will be fitted with 2 individual 13amp plug tops.
* 5/1 Bain Marie will be fitted with a 32amp Commando plug single phase.

ambient • chilled • base unit options

- Accepts all integrale, da vinci and manhattan standard width displays.
- Chilled displays have full internal airflow ducting with inlet.
- All units mounted on four 100mm diameter castors, two lockable. (See page 15 for further options).

ambient void: chilled drop-in

Stock Code	Capacity gn	Overall Size mm	Weight kg	Wattage kw	List Price £
Standard Base Unit					
DC - C2	2/1	825(w) x 660(d) x 900(h)	43	N/A	614
DC - C3	3/1	1175(w) x 660(d) x 900(h)	53	N/A	714
DC - C4	4/1	1525(w) x 660(d) x 900(h)	66	N/A	792
DC - C5	5/1	1875(w) x 660(d) x 900(h)	75	N/A	863
Wide Base Unit					
DC - CW2	2/1	825(w) x 810(d) x 900(h)	53	N/A	614
DC - CW3	3/1	1175(w) x 810(d) x 900(h)	65	N/A	714
DC - CW4	4/1	1525(w) x 810(d) x 900(h)	81	N/A	792
DC - CW5	5/1	1875(w) x 810(d) x 900(h)	92	N/A	863

ambient void & shelf: chilled drop-in

Stock Code	Capacity gn	Overall Size mm	Weight kg	Wattage kw	List Price £
Standard Base Unit					
DC - CS3	3/1	1175(w) x 660(d) x 900(h)	58	N/A	776
DC - CS4	4/1	1525(w) x 660(d) x 900(h)	72	N/A	896
DC - CS5	5/1	1875(w) x 660(d) x 900(h)	82	N/A	1095
Wide Base Unit					
DC - CSW3	3/1	1175(w) x 810(d) x 900(h)	71	N/A	776
DC - CSW4	4/1	1525(w) x 810(d) x 900(h)	89	N/A	896
DC - CSW5	5/1	1875(w) x 810(d) x 900(h)	101	N/A	1095

ambient cupboard: chilled drop-in

Stock Code	Capacity gn	Overall Size mm	Weight kg	Wattage kw	List Price £
Standard Base Unit					
DC - CD4	4/1	1525(w) x 660(d) x 900(h)	76	N/A	1001
DC - CD5	5/1	1875(w) x 660(d) x 900(h)	86	N/A	1194
Wide Base Unit					
DC - CDW4	4/1	1525(w) x 810(d) x 900(h)	94	N/A	1001
DC - CDW5	5/1	1875(w) x 810(d) x 900(h)	106	N/A	1194

chilled: rear air flow

Stock Code	Capacity gn	Overall Size mm	Weight kg	Wattage kw	List Price £
Standard Base Unit					
DC - C3AF	3/1	1175(w) x 660(d) x 900(h)	57	N/A	748
DC - C4AF	4/1	1525(w) x 660(d) x 900(h)	71	N/A	862
DC - C5AF	5/1	1875(w) x 660(d) x 900(h)	80	N/A	897
Wide Base Unit					
DC - CW3AF	3/1	1175(w) x 810(d) x 900(h)	70	N/A	748
DC - CW4AF	4/1	1525(w) x 810(d) x 900(h)	88	N/A	862
DC - CW5AF	5/1	1875(w) x 810(d) x 900(h)	90	N/A	897

- An extensive range of additions can be added to the basic units allowing you to customise your installation.
- Bain maries • Ceramic glass hotplates • Wells • Decks
- Deli's • Multi-decks • Carving pads • Plate dispensers

Tubular / Solid Trayslide

Stock Code	Overall Size (mm)	Weight (kg)	List Price (£)
Tubular			
DC - TTS1	410(w) x 319(d)	12	110
DC - TTS2	760(w) x 319(d)	13.5	123
DC - TTS3	1110(w) x 319(d)	15	138
DC - TTS4	1460(w) x 319(d)	16.5	152
DC - TTS5	1810(w) x 319(d)	18	169
Solid			
DC - TS1	765(w) x 250(d)	11.5	110
DC - TS2	760(w) x 319(d)	14	123
DC - TS3	1110(w) x 319(d)	16.5	138
DC - TS4	1460(w) x 319(d)	19	152
DC - TS5	1810(w) x 319(d)	21.5	169

Angled Shelf Plates

Stock Code	Overall Size (mm)	Weight (kg)	List Price (£)
DC - AP90	90° Angle Plate	4	56
DC - AP135	135° Angle Plate	4	56
DC - AP180	180° Angle Plate	3	42
DC - AP225	225° Angle Plate	4	56
DC - AP270	270° Angle Plate	4	56

Angled Cupboard Units

Stock Code	Overall Size (mm)	Weight (kg)	List Price (£)
DC - A90	90° Angle Plate	45	725
DC - A135	135° Angle Plate	48	775
DC - A225	225° Angle Plate	48	775
DC - A270	270° Angle Plate	48	775

Soup Dispensers

Stock Code	Overall Size (mm)	Weight (kg)	List Price (£)
DC - ISOUPDUO	475(w) x 660(d) x 900(h)	43	1368
DC - ISOUPDUO10L1	475(w) x 660(d) x 900(h)	46	1368

Plate Dispensers

We have a very wide range of plate dispensers available.
Please see our idesign brochure or contact us directly for more information.

Further base unit options are available upon request such as:
Kick Plinths • Deep Options (810mm 1-1/3) • Rear Prep Shelf
Low Level Castors giving height options 900mm, 850mm, 800mm & 750mm

Require some assistance designing your product?

We have professional advisors who can guide you through the entire process of creating your order.

From choosing your drop-in options, base unit, additions and fascia panel options we are here to help.

Contact us today:

tel: + 44 (0)151 548 2211
fax: + 44 (0)151 549 2179
email: enquiries@counterline.co.uk

Chilled Base Units

Standard Worktop Height 900mm / Low Height Codes

Stock Code	Dimensions (mm)	Stock Code	Dimensions (mm)	Description	List Price (£)
DC - C2	825(w) x 660(d) x 900(h)	DCL - C2	825(w) x 660(d) x 800(h)	2 - 1 Ambient Void - NO Shelf	614
DC - C3	1175(w) x 660(d) x 900(h)	DCL - C3	1175(w) x 660(d) x 800(h)	3 - 1 Ambient Void - NO Shelf	714
DC - C3AF	1175(w) x 660(d) x 900(h)	DCL - C3AF	1175(w) x 660(d) x 800(h)	3 - 1 Rear Airflow	748
DC - CS3	1175(w) x 660(d) x 900(h)	DCL - CS3	1175(w) x 660(d) x 800(h)	3 - 1 Ambient Void + Shelf	776
DC - C4	1525(w) x 660(d) x 900(h)	DCL - C4	1525(w) x 660(d) x 800(h)	4 - 1 Ambient Void - NO Shelf	792
DC - C4AF	1525(w) x 660(d) x 900(h)	DCL - C4AF	1525(w) x 660(d) x 800(h)	4 - 1 Rear Airflow	862
DC - CS4	1525(w) x 660(d) x 900(h)	DCL - CS4	1525(w) x 660(d) x 800(h)	4 - 1 Ambient Void + Shelf	896
DC - CD4	1525(w) x 660(d) x 900(h)	DCL - CD4	1525(w) x 660(d) x 800(h)	4 - 1 Ambient Void + Shelf & Doors	1001
DC - C5	1875(w) x 660(d) x 900(h)	DCL - C5	1875(w) x 660(d) x 800(h)	5 - 1 Ambient Void - NO Shelf	863
DC - C5AF	1875(w) x 660(d) x 900(h)	DCL - C5AF	1875(w) x 660(d) x 800(h)	5 - 1 Rear Airflow	897
DC - CS5	1875(w) x 660(d) x 900(h)	DCL - CS5	1875(w) x 660(d) x 800(h)	5 - 1 Ambient Void + Shelf	1095
DC - CD5	1875(w) x 660(d) x 900(h)	DCL - CD5	1875(w) x 660(d) x 800(h)	5 - 1 Ambient Void + Shelf & Doors	1194

Heated Base Units

Standard Worktop Height 900mm / Low Height Codes

Stock Code	Dimensions (mm)	Stock Code	Dimensions (mm)	Description	List Price (£)
DC - H2	825(w) x 660(d) x 900(h)	DCL - H2	825(w) x 660(d) x 800(h)	2 - 1 Ambient Void - NO Shelf	639
DC - HS2	825(w) x 660(d) x 900(h)	DCL - HS2	825(w) x 660(d) x 800(h)	2 - 1 Ambient Void + Shelf	677
DC - H3	1175(w) x 660(d) x 900(h)	DCL - H3	1175(w) x 660(d) x 800(h)	3 - 1 Ambient Void - NO Shelf	660
DC - HS3	1175(w) x 660(d) x 900(h)	DCL - HS3	1175(w) x 660(d) x 800(h)	3 - 1 Ambient Void + Shelf	756
DC - H4	1525(w) x 660(d) x 900(h)	DCL - H4	1525(w) x 660(d) x 800(h)	4 - 1 Ambient Void - NO Shelf	748
DC - HS4	1525(w) x 660(d) x 900(h)	DCL - HS4	1525(w) x 660(d) x 800(h)	4 - 1 Ambient Void + Shelf	924
DC - HD4	1525(w) x 660(d) x 900(h)	DCL - HD4	1525(w) x 660(d) x 800(h)	4 - 1 Ambient Void + Shelf & Doors	1085
DC - HC4	1525(w) x 660(d) x 900(h)	DCL - HC4	1525(w) x 660(d) x 800(h)	4 - 1 Complete with Hot Cupboard	1668
DC - H5	1875(w) x 660(d) x 900(h)	DCL - H5	1875(w) x 660(d) x 800(h)	5 - 1 Ambient Void - NO Shelf	820
DC - HS5	1875(w) x 660(d) x 900(h)	DCL - HS5	1875(w) x 660(d) x 800(h)	5 - 1 Ambient Void + Shelf	1095
DC - HD5	1875(w) x 660(d) x 900(h)	DCL - HD5	1875(w) x 660(d) x 800(h)	5 - 1 Ambient Void + Shelf & Doors	1194

Ambient Base Units

Standard Worktop Height 900mm / Low Height Codes

Stock Code	Dimensions (mm)	Stock Code	Dimensions (mm)	Description	List Price (£)
DC - A2	825(w) x 660(d) x 900(h)	DCL - A2	825(w) x 660(d) x 800(h)	2 - 1 Ambient Void - NO Shelf	789
DC - AS2	825(w) x 660(d) x 900(h)	DCL - AS2	825(w) x 660(d) x 800(h)	2 - 1 Ambient Void + Shelf	827
DC - A3	1175(w) x 660(d) x 900(h)	DCL - A3	1175(w) x 660(d) x 800(h)	3 - 1 Ambient Void - NO Shelf	835
DC - AS3	1175(w) x 660(d) x 900(h)	DCL - AS3	1175(w) x 660(d) x 800(h)	3 - 1 Ambient Void + Shelf	931
DC - A4	1525(w) x 660(d) x 900(h)	DCL - C4	1525(w) x 660(d) x 800(h)	4 - 1 Ambient Void - NO Shelf	948
DC - AS4	1525(w) x 660(d) x 900(h)	DCL - AS4	1525(w) x 660(d) x 800(h)	4 - 1 Ambient Void + Shelf	1124
DC - AD4	1525(w) x 660(d) x 900(h)	DCL - AD4	1525(w) x 660(d) x 800(h)	4 - 1 Ambient Void + Shelf & Doors	1285
DC - A5	1875(w) x 660(d) x 900(h)	DCL - A5	1875(w) x 660(d) x 800(h)	5 - 1 Ambient Void - NO Shelf	1045
DC - AS5	1875(w) x 660(d) x 900(h)	DCL - AS5	1875(w) x 660(d) x 800(h)	5 - 1 Ambient Void + Shelf	1320
DC - AD5	1875(w) x 660(d) x 900(h)	DCL - AD5	1875(w) x 660(d) x 800(h)	5 - 1 Ambient Void + Shelf & Doors	1419

Hot Cupboard Base Units

Standard Worktop Height 900mm / Low Height Codes

Stock Code	Dimensions (mm)	Stock Code	Dimensions (mm)	Description	List Price (£)
DC - HC3	1175(w) x 660(d) x 900(h)	DCL - HC3	1175(w) x 660(d) x 800(h)	3 - 1 Complete with Hot Cupboard	1446
DC - AHC3	1175(w) x 660(d) x 900(h)	DCL - AHC3	1175(w) x 660(d) x 800(h)	3 - 1 Complete with Hot Cupboard	1621
DC - HC4	1525(w) x 660(d) x 900(h)	DCL - HC4	1525(w) x 660(d) x 800(h)	4 - 1 Complete with Hot Cupboard	1668
DC - AHC4	1525(w) x 660(d) x 900(h)	DCL - AHC4	1525(w) x 660(d) x 800(h)	4 - 1 Complete with Hot Cupboard	1868
DC - HC5	1875(w) x 660(d) x 900(h)	DCL - HC5	1875(w) x 660(d) x 800(h)	5 - 1 Complete with Hot Cupboard	2052
DC - AHC5	1875(w) x 660(d) x 900(h)	DCL - AHC5	1875(w) x 660(d) x 800(h)	5 - 1 Complete with Hot Cupboard	2277

setting the standard since 1983

THE QUEEN'S AWARDS FOR ENTERPRISE 2018

counterline
A British Manufacturer

Íslensk Markaðsmiðlun ehf
Pósthússtræti 13
101 Reykjvaík
Ísland

Sími: 853-6020
email: thorbjorn@ismark.is
web: www.veitingavorur.com

CE All images, photographs, text, diagrams, brand names, logos and other artistic or literary works contained in this brochure (Intellectual Property Rights) are protected by copyright, database rights, design rights, registered designs, trade marks or service marks, trade names or know how (whether registered or not) and all rights or forms of protection of a similar nature anywhere in the world including any applications for any of the foregoing.

All Intellectual Property Rights in this brochure or appearing on our website or promotional material are owned by or licensed to Counterline Limited, and may not be reproduced or copied without permission.

Terms & Conditions / Warranty
Full details of Counterline's Terms & Conditions and parts and labour warranty in the UK are available on request.

Issue: 01-2019